



Precision Shunt Selector Guide - Blue Power Technology Co., Ltd.




T type		
3000A 60mV		Accuracy: $\pm 0.1\% \sim \pm 0.5\%$, or custom designed. Rated Voltage: 100mV, 75mV, 60mV, 55mV, 50mV, or custom designed
200A 75mV		Accuracy: $\pm 0.1\% \sim \pm 0.5\%$, or custom designed. Rated Voltage: 100mV, 75mV, 60mV, 55mV, 50mV, or custom designed
15000A		Accuracy: $\pm 0.1\% \sim \pm 0.5\%$, or custom designed. Rated Voltage: 100mV, 75mV, 60mV, 55mV, 50mV, or custom designed
10000A		Accuracy: $\pm 0.1\% \sim \pm 0.5\%$, or custom designed. Rated Voltage: 100mV, 75mV, 60mV, 55mV, 50mV, or custom designed

7500A		Accuracy: $\pm 0.1\% \sim \pm 0.5\%$, or custom designed. Rated Voltage: 100mV, 75mV, 60mV, 55mV, 50mV, or custom designed
6000A		Accuracy: $\pm 0.1\% \sim \pm 0.5\%$, or custom designed. Rated Voltage: 100mV, 75mV, 60mV, 55mV, 50mV, or custom designed
5000A		Accuracy: $\pm 0.1\% \sim \pm 0.5\%$, or custom designed. Rated Voltage: 100mV, 75mV, 60mV, 55mV, 50mV, or custom designed
3000A		Accuracy: $\pm 0.1\% \sim \pm 0.5\%$, or custom designed. Rated Voltage: 100mV, 75mV, 60mV, 55mV, 50mV, or custom designed
1500-2000A		Accuracy: $\pm 0.1\% \sim \pm 0.5\%$, or custom designed. Rated Voltage: 100mV, 75mV, 60mV, 55mV, 50mV, or custom designed

1000A		Accuracy: $\pm 0.1\% \sim \pm 0.5\%$, or custom designed. Rated Voltage: 100mV, 75mV, 60mV, 55mV, 50mV, or custom designed
750A		Accuracy: $\pm 0.1\% \sim \pm 0.5\%$, or custom designed. Rated Voltage: 100mV, 75mV, 60mV, 55mV, 50mV, or custom designed
500A		Accuracy: $\pm 0.1\% \sim \pm 0.5\%$, or custom designed. Rated Voltage: 100mV, 75mV, 60mV, 55mV, 50mV, or custom designed
300A		Accuracy: $\pm 0.1\% \sim \pm 0.5\%$, or custom designed. Rated Voltage: 100mV, 75mV, 60mV, 55mV, 50mV, or custom designed
150-200A		Accuracy: $\pm 0.1\% \sim \pm 0.5\%$, or custom designed. Rated Voltage: 100mV, 75mV, 60mV, 55mV, 50mV, or custom designed
L type		

500A 60mV		Accuracy: $\pm 0.1\% \sim \pm 0.5\%$, or custom designed. Rated Voltage: 100mV, 75mV, 60mV, 55mV, 50mV, or custom designed
2000A 50mV		Accuracy: $\pm 0.1\% \sim \pm 0.5\%$, or custom designed. Rated Voltage: 100mV, 75mV, 60mV, 55mV, 50mV, or custom designed
Flat type		
75-100A		Accuracy: $\pm 0.1\% \sim \pm 0.5\%$, or custom designed. Rated Voltage: 100mV, 75mV, 60mV, 55mV, 50mV, or custom designed
100A 100mV		Accuracy: $\pm 0.1\% \sim \pm 0.5\%$, or custom designed. Rated Voltage: 100mV, 75mV, 60mV, 55mV, 50mV, or custom designed
500A 75mV		Accuracy: $\pm 0.1\% \sim \pm 0.5\%$, or custom designed. Rated Voltage: 100mV, 75mV, 60mV, 55mV, 50mV, or custom designed

Copper shunt		Accuracy: $\pm 0.1\% \sim \pm 0.5\%$, or custom designed. Rated Voltage: 100mV, 75mV, 60mV, 55mV, 50mV, or custom designed
Base type		
100A 50mV		Accuracy: $\pm 0.1\% \sim \pm 0.5\%$, or custom designed. Rated Voltage: 100mV, 75mV, 60mV, 55mV, 50mV, or custom designed
500A 60mV		Accuracy: $\pm 0.1\% \sim \pm 0.5\%$, or custom designed. Rated Voltage: 100mV, 75mV, 60mV, 55mV, 50mV, or custom designed
10A 50mV		Accuracy: $\pm 0.1\% \sim \pm 0.5\%$, or custom designed. Rated Voltage: 100mV, 75mV, 60mV, 55mV, 50mV, or custom designed
500A 50mV		Accuracy: $\pm 0.1\% \sim \pm 0.5\%$, or custom designed. Rated Voltage: 100mV, 75mV, 60mV, 55mV, 50mV, or custom designed

50A 50mV		Accuracy: $\pm 0.1\% \sim \pm 0.5\%$, or custom designed. Rated Voltage: 100mV, 75mV, 60mV, 55mV, 50mV, or custom designed
Other type		
500A 55mV		Accuracy: $\pm 0.1\% \sim \pm 0.5\%$, or custom designed. Rated Voltage: 100mV, 75mV, 60mV, 55mV, 50mV, or custom designed
150A 50mV 500A 50mV		Accuracy: $\pm 0.1\% \sim \pm 0.5\%$, or custom designed. Rated Voltage: 100mV, 75mV, 60mV, 55mV, 50mV, or custom designed
175A 25mV		Accuracy: $\pm 0.1\% \sim \pm 0.5\%$, or custom designed. Rated Voltage: 100mV, 75mV, 60mV, 55mV, 50mV, or custom designed
35A		Accuracy: $\pm 0.1\% \sim \pm 0.5\%$, or custom designed. Rated Voltage: 100mV, 75mV, 60mV, 55mV, 50mV, or custom designed

PCB shunt		Accuracy: $\pm 0.1\% \sim \pm 0.5\%$, or custom designed. Rated Voltage: 100mV, 75mV, 60mV, 55mV, 50mV, or custom designed
-----------	---	--